

Serial No. 09/939,648

an entrance lens part forming the entrance surface of the lenticular lens sheet and having an array of a plurality of convex lens elements capable of gathering light rays;

an exit lens part forming the exit surface of the lenticular lens sheet and having an array of a plurality of lens elements formed respectively in light-gathering regions in which light rays refracted by the convex lens elements of the entrance lens part gather, the lens elements of the exit lens part being convex toward the exit surface of the lenticular lens sheet; and

D,
say a light absorbing layer formed in light-nongathering regions in the exit surface of the lenticular lens sheet in which light rays refracted by the convex lens elements of the entrance lens part do not gather;

wherein a tinted layer is formed at least in a portion of the entrance lens part near the entrance surface of the lenticular lens sheet.

Cancel claims 13 and 15 without prejudice or disclaimer.

Amend claim 17 as follows:

17. (Thrice Amended) A rear projection screen comprising:

a lenticular lens sheet having an entrance surface and an exit surface; and

a Fresnel lens sheet disposed opposite to the entrance surface of the lenticular lens sheet facing an image light source,

wherein the lenticular lens sheet has: a base part;

an entrance lens part forming the entrance surface of the lenticular lens sheet and having an array of a plurality of convex lens elements capable of gathering light rays;

an exit lens part forming the exit surface of the lenticular lens sheet and having an array of a plurality of lens elements formed respectively in light-gathering regions in which light rays refracted by the convex lens elements of the entrance lens part gather, the lens elements of the exit lens part being convex toward the exit surface of the lenticular lens sheet; and a light absorbing layer formed in light-nongathering regions in the exit surface of the lenticular lens sheet in which light rays refracted by the convex lens elements of the entrance lens part do not gather, the entrance lens part being provided with a tinted layer at least in a portion thereof near the entrance surface of the lenticular lens sheet.

Please add the following claims:

22. (New) A lenticular lens sheet having an entrance surface and an exit surface comprising:

a base part;

an entrance lens part forming the entrance surface of the lenticular lens sheet and having an array of a plurality of convex lens elements capable of gathering light rays;

an exit lens part forming the exit surface of the lenticular lens sheet and having an array of a plurality of lens elements formed respectively in light-gathering regions in which light rays refracted by the convex lens elements of the entrance lens part gather, the lens elements of the exit lens part being concave toward the exit surface of the lenticular lens sheet; and

a light absorbing layer formed in light-nongathering regions in the exit surface of the lenticular lens sheet in which light rays refracted by the convex lens elements of the entrance lens part do not gather;

wherein a tinted layer is formed at least in a portion of the entrance lens part near the entrance surface of the lenticular lens sheet.

Serial No. 09/939,648

23. (New) The lenticular lens sheet according to claim 22, wherein the tinted layer contains a light diffusing material.

24. (New) The lenticular lens sheet according to claim 22 wherein the tinted layer extends along the light receiving surface of the entrance lens part.

25. (New) The lenticular lens sheet according to claim 11, wherein

the base part has a flat entrance-side surface and a flat exit-side surface;

the entrance lens part is disposed on the flat entrance-side surface of the base part; and

the exit lens part is disposed on the flat exit-side surface of the base part.

26. (New) A rear projection screen comprising:

a lenticular lens sheet having an entrance surface and an exit surface; and

a Fresnel lens sheet disposed opposite to the entrance surface of the lenticular lens sheet facing an image light source,

Serial No. 09/939,648

wherein the lenticular lens sheet has: a base part;

an entrance lens part forming the entrance surface of the lenticular lens sheet and having an array of a plurality of convex lens elements capable of gathering light rays;

an exit lens part forming the exit surface of the lenticular lens sheet and having an array of a plurality of lens elements formed respectively in light-gathering regions in which light rays refracted by the convex lens elements of the entrance lens part gather, the lens elements of the exit lens part being concave toward the exit surface of the lenticular lens sheet; and a light absorbing layer formed in light-nongathering regions in the exit surface of the lenticular lens sheet in which light rays refracted by the convex lens elements of the entrance lens part do not gather, the entrance lens part being provided with a tinted layer at least in a portion thereof near the entrance surface of the lenticular lens sheet.

27. (New) The rear projection screen according to claim 26, further comprising a front plate disposed opposite to the exit surface of the lenticular lens sheet;

Serial No. 09/939,648

wherein the front plate has a tinted layer formed near an entrance surface thereof or an exit surface thereof, or the front plate is entirely tinted.

28. (New) The rear projection screen according to claim 26, wherein

the base part of the lenticular sheet has a flat entrance-side surface and a flat exit-side surface;

the entrance lens part of the lenticular lens sheet is disposed on the flat entrance-side surface of the base part; and

the exit lens part of the lenticular lens sheet is disposed on the flat exit-side surface of the base part.
